## **AMENDMENTS TO THE CLAIMS**

Please amend the claims as indicated in the following listing of all claims:

(Currently amended) A method for communicating short messages comprising:
forwarding an electronic message to a first communications device, the forwarding being
in response to at least an indication of unsuccessful delivery of a short message
service (SMS) message to a destination communications device,
wherein the first communications device is incompatible with SMS.

- 2. (Canceled)
- 3. (Original) The method, as recited in claim 1, wherein the forwarding is enabled from the destination communications device.
- 4. (Original) The method, as recited in claim 1, wherein the forwarding is enabled from the first communications device.
  - 5. (Currently amended) A method for communicating short messages comprising:

    forwarding an electronic message to a first communications device, the forwarding in

    response to at least an indication of unsuccessful delivery of a short message

    service (SMS) message to a destination communications device, The method, as

    recited in claim 1, wherein the forwarding is enabled from a web browser.
- 6. (Previously presented) The method, as recited in claim 1, wherein the electronic message is based at least in part on the SMS message.
  - 7. (Original) The method, as recited in claim 6, further comprising: formatting the electronic message as a message having a format compatible with the first communications device.
- 8. (Original) The method, as recited in claim 7, wherein the first communications device is the destination communications device.

- 9. (Previously presented) The method, as recited in claim 1, further comprising: removing the SMS message from a short message queue.
- 10. (Original) The method, as recited in claim 1, further comprising: associating the first communications device with the destination communications device.
- 11. (Previously presented) The method, as recited in claim 1, further comprising: receiving the SMS message; and attempting to send the SMS message to the destination communications device.
- 12. (Previously presented) A system for communicating short messages comprising: a short message service (SMS) management facility that communicates an electronic message to a first communications device in response to an indicator of an unsuccessful delivery of the short message to a destination communications device,

wherein the first communications device is incompatible with SMS.

- 13. (Previously presented) The system, as recited in claim 12, further comprising: a destination communications device for receiving at least one short message from the SMS management facility.
- 14. (Previously presented) The system, as recited in claim 12, further comprising:a first communications device for receiving at least one electronic message from the SMS management facility.
- 15. (Original) The system, as recited in claim 12, further comprising:a first store including at least one entry corresponding to the destination communications device.
- 16. (Original) The system, as recited in claim 15, wherein the entry includes an association to the first communications device.

- 17. (Original) The system, as recited in claim 12, wherein the electronic message is based at least in part on a short message and a destination address associated with the short message.
- 18. (Original) The system, as recited in claim 17, wherein the entry includes information for formatting the electronic message.
- 19. (Original) The system, as recited in claim 15, wherein at least a portion of the first store resides on a first server.
- 20. (Previously presented) The system, as recited in claim 15, wherein at least a portion of the SMS management facility resides on a short message service center (SMSC).
- 21. (Previously presented) The system, as recited in claim 15, wherein at least a portion of the SMS management facility resides on a first server.
  - 22. (Canceled)
  - 23. (Currently amended) The method, as recited in claim [[5]]1, further comprising: formatting the electronic message compatible with the first communications device.
  - 24. (Previously presented) The method, as recited in claim 5, further comprising: removing the SMS message from a short message queue.
  - 25. (Currently amended) An apparatus for communicating short messages comprising: means for forwarding an electronic message to a first communications device, the forwarding being in response to at least an indicator of unsuccessful delivery of a short message service (SMS) message to a destination communications device; means for formatting the electronic message as a message having a format compatible with the first communications device; and means for enabling the means for forwarding.

- 26. (Canceled)
- 27. (Previously presented) The apparatus, as recited in claim 25, wherein the first communications device is incompatible with SMS.